



# **Marine Equipment Directive EC Type Examination Module B Certificate**

This is to certify that TÜV SÜD Danmark did undertake the relevant type approval procedures for the equipment identified below, which was found to be in compliance with the Marine Equipment Directive (2014/90/EU) requirements, under the following Implementing Regulation for the listed types of equipment

Implementing Regulation

(EU)2019/1397

**Certificate Holder and** Manufacturer

Northrop Grumman Sperry Marine B.V.

Haringbuisweg 33 3133 KP Vlaardingen The Netherlands

Product(s)

VisionMaster FT, ECAT2 25 - Client/Server Radar System a)

VisionMaster FT, ECAT2C 25 - Client/Server Chart Radar System

VisionMaster FT, ECAT2H 25 - Client/Server Radar System c)

VisionMaster FT, ECAT2HC 25 - Client/Server Chart Radar System

**Product Sector** 

**Navigation Equipment** 

**Product Type** 

MED/4.35 Radar Equipment CAT 2

MED/4.37 Radar Equipment for high speed craft applications (CAT 2H) MED/4.38b Radar Equipment approved with a chart option; CAT 2C

MED/4.38d Radar Equipment for high speed craft applications approved with

a chart option; CAT 2HC

and on the basis of the Technical Data and information detailed in the Annex to this certificate.

Valid from: 28 February 2020

Expiry Date: 24 April 2024

This certificate has been issued in accordance with the TÜV SÜD Testing and Certification Regulations and constitutes page 1 of the combined Certificate and Annex. The Conditions for the validity of this certificate are listed in the Annex. For further details, related to this certification please contact BABT@TUV-SUD.co.uk



Issued by TÜV SÜD Danmark under document number:

DK-MED001125 Issue 02

Page 1 of 5

TÜV SÜD Danmark • Tuborg Boulevard 12.3 • 2900 Hellerup • Denmark

ш

N



## 1 **Equipment Description**

Client/Server CAT 2 Radar Systems with high speed craft and chart options (CAT 2, CAT 2H, CAT.2C & CAT 2HC)

#### 1.1.1 Processor and Display Options

Model	Description
65901AS	Radar Server
65901AC	Radar Client
65817G	19" Display
65900AA or 65900AB	PCIO Interface Unit
65903KH	Control Panel
RA00009746	Network Switch
32SDR005 or 32SDT005 Note 182	Security Device

### 1.1.2 Transceiver, Turning Units and Antenna Options

Model	Description
65910*AR, 65910*AT, 65910*AU, where * can be M, N, P, T or W Note 3	10kW X-Band Transceiver and Turning Units
65925*AR, 65925*AT, 65925*AU, where * can be M, N, P, T or W Note 3	25kW X-Band Transceiver and Turning Units
65810E, 65810F, 65810G, 65810H and 65810L	10kW X-Band Transceivers (Bulkhead)
65825E, 65825F, 65825G, 65825H and 65825L	25kW X-Band Transceivers (Bulkhead
65901BAR, 65901CAR, 65901CAT, 65901CAU	X-Band Turning Unit (Bulkhead)
65604A, 65606A, 65608A	X-Band Antenna
65830M*R, 65830N*R, 65830N*T, 65830N*U, where * can be E, F, G, H, J, K, L, M, P, Q, R or S Note 4	S-Band Transceivers
65831A or 65831B	S-Band Transceivers (Bulkhead)
65830B*R, 65830C*R, 65830C*T, 65830C*U where * can be E, F, G, H, J, K, L, M, P, Q, R or S Note 4	S-Band Turning Unit
65837AB, 65837AC, 65837AE, 65837AF, 65837AH	Scanner Control Unit
65612A	S-Band Antenna

#### 1.1.3 Ancillary Components

Model	Description
4802181	Network Serial Interface
65900685	Mains Distribution Unit
65900614, 65900615, 65900668, 65900635 and 65900625	Kit Format Units
67050FA	Secure Maritime Gateway



#### 1.2 Software

Identity	Version	
VisionMaster FT Software	12.2.0 Note 5	

## 2 Assessed Requirements

### 2.1 Implementing Regulation (EU)2019/1397

### 2.2 Compliance Requirements for MED/4.35, 4.37, MED/4.38b and MED/4.38d Note 6

IMO Resolutions	International Testing Standards		
Resolution MSC.192(79)	IEC 62388 (2013)	Maritime navigation and radiocommunication equipment and systems  — Shipborne radar	
Resolution MSC.191(79) Resolution MSC.302(87)	IEC 62288 (2014)	Maritime navigation and radiocommunication equipment and systems — Presentation of navigation-related information on shipborne navigational displays — General requirements	
Resolution A.694(17)	IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)	Maritime navigation and radiocommunication equipment and systems  — General requirements	
	IEC 61162-1 (2016)	Maritime navigation and radiocommunication equipment and systems  — Digital interfaces Part 1: Single talker and multiple listeners	
	IEC 61162-2 (1998)	Maritime navigation and radiocommunication equipment and systems  — Digital interfaces Part 2: Single talker and multiple listeners, high-speed transmission	
	IEC 61162-450 (2011) with Am 1 (2016)Note 7	Maritime navigation and radiocommunication equipment and systems  — Digital interfaces Part 450: Multiple talkers and multiple listeners — Ethernet interconnection	
ITU-R Recommendation	ITU-R M.1177-4 (2011)	Techniques for measurement of unwanted emissions of radar systems	

## 3 Technical Documentation

#### 3.1 Declaration of Conformity

DoC065B VMFT CAT 2

#### 3.2 User Guide

Radar/Chart Radar User Guide Part No. 65900010-15 VisionMaster Ships Manual Part No.65900011V1- 19 Rev A VisionMaster Ships Manual Part No.65900011V2- 19 Rev A

#### 3.3 Test Reports

IEC 60945:2002	QinetiQ/D&TS/SS/CR0607592/1.0, 2006-12-06	5000657, 2007-06-28
(inc Corr.1)	QinetiQ/EMEA/iX/CR070194/Issue 1.0, 2007-12-20	103230862LHD-001, 2017-12-06
	QINETIQ/MS/EES/TSTR0801152/1.1, 2008-07-08	P18-0055-1, 2018-12-04
	QINETIQ/MS/EES/TSTR0801840/1, 2008-09-03	103230862LHD-001 Issue 4, 2018-01-02
	QinetiQ/MS/EES/TC0802918, 2008-10-17	QinetiQ/EMEA/iX/CR0802757/Issue 1.1, 2008-02-19
	MET EMC19618-EN60945, 2006-08-28	QinetiQ-MS-EES-TC0905317, 2009-12-14
	75919870 Report 04 Issue 1, 2013-04-29	QINETIQ/MS/EES/TSTR0903808/3.0, 2009-12-14
	75921754 Report 01 Issue 1, 2013-04-25	QINETIQ/TEG/TECS/TSTR1000308, 2010-10-22
	75920230 Report 01 Issue 1, 2012-11-22	QINETIQ/TEG/TECS/TSTR1000030, 2010-08-19
	75924948 Report 01 Issue 1, 2014-01-07	QINETIQ/TEG/TECS/CR1100320, 2011-03-14
	75909781 Report 02 Issue 01, 2010-08-24	QinetiQ/MS/EES/TSTR0801808-1, 2008-08-29
	2008-3143, 2008-03-11	JA 340-8596-1, 2006-07-14



## **Test Reports - continued**

	2005-3112 Rev 01, 2005-03-14	JA 340-8596-2, 2006-05-08
	2013-3038, 2013-04-03	JA 340-8596-4, 2006-03-16
	DANAK-198181, 2005-12-23	TL1016, 2006-10-30
	DANAK-198236, 2006-01-20	TL1316, 2009-06-29
	DANAK-1910255, 2008-08-18	416.095.1, 2016-06-17
	DANAK-1912564, 2012-11-02	416.095.2, 2016-05-11
	DANAK-198899 Revision 2, 2007-12-10	416.095.3, 2016-05-18
	DANAK-1910255, 2008-08-181910	962, 2017-03-08
	DANAK-1910681 Revision B, 2010-01-25	8P06394 CSD, 2018-08-27
	5P05969-1, 2015-10-30	-
IEC 62388:2013	QINETIQ/MS/EES/TSTR0904084/3, 2009-12-15	TR-V11-NML-018, 2018-11-12
	TR-V10-NML-005, 2017-09-15	TR-V12-NML-032, 2019-08-08
	TR-V12-NML-031, 08-08-2019	TR-V11.1-NML-022, 2019-01-14
	TR-V12.2-NML-040 Issue: 1, 2020-02-20	-
IEC 62288:2014	ECDIS Monitor (LCD) Test Procedure and Report,	TR-V12-NML-028, 2019-09-02
	2005-04-13	·
	TR-V10-NML-004, 2017-09-18	TR-V11-NML-017, 2018-11-12
	TR-V10.0.1-NML-010, 2018-02-12	362879 Issue 00, 2018-11-06
	TR-V10.0.1-NML-011, 2018-02-12	TR-V11.1-NML-021, 2018-12-20
	TR-V12.2-NML-042 Issue: 1, 2020-02-20	-
IEC 61162 Series	BSH 46162/0040380/07, 2007-09-12	TR-V11-NML-015, 2018-11-12
	TR-V12-NML-029, 2019-09-02	TR-V12-NML-030, 2019-08-08
	TR-V12.2-NML-039 Issue: 1, 2020-02-20	TR-V12.2-NML-043 Issue: 1, 2020-02-20
Miscellaneous	VisionMaster FT Release 10.0.0 Client Server Radar	VisionMaster FT Release 10.0.0 System Performance
	Performance Test Report Issue 1, 2017-11-27	Test Report, 2017-11-27
	TR-V10.0.1-NML-012, 2018-02-16	TR-V11.1-NML-023, 2018-12-20
	TR-V11-NML-019, 2018-11-12	TR-V11.1-NML-024, 2019-01-03
	TR-V12-NML-033, 2019-08-08	TR-V12.2-NML-041 Issue: 1, 2020-02-20

#### 3.4 **Build Status**

#### 3.4.1 Hardware

VisionMaster FT Technical File VMFTRPRT Issue 13 Dated 2019-10-28

#### 3.5 **Notes**

Note 1	The 32SDR005 or 32SDT005 Multi-node security device allows operation of an integrated multi display ships bridge. A security string defines the product type on all the nodes for a particular vessel's bridge operating plan. The product type must be set to CAT2 Radar, CAT2C Chart Radar or Total Watch as appropriate.
Note 2	A Total Watch product enables operation as a Multi-Function workstation and allows the operator to switch between Chart Radar, ECDIS and conning display. This certificate only applies when the mode is set to Chart Radar for a Total Watch System.
Note 3	These letters determine whether a 3kHz short pulse trigger option, an additional features option or a bias limiter is fitted.
Note 4	These letters determine the voltage and frequency of the motor used and is described in the Ships Manual Volume 1.
Note 5	This approval remains valid for equipment including subsequent minor software amendments which have been formally accepted in accordance with the TÜV SÜD Testing and Certification Regulations
Note 6	If applicable (EU)2019/1397 gives a last placing on board date of 29/08/2021 for equipment approved against the test standards listed above. See Conditions of Validity.
Note 7	Image transfer to a Voyage Data Recorder via IEC 61162-450 Interface.



#### 4 U.S. Coast Guard Number

This product has been assigned U.S. Coast Guard Module B number

165.116/EC2443 (Radar Equipment CAT 2) 165.217/EC2443 (Radar Equipment for high speed craft applications (CAT 2H)

To note type approval to Module B only as it pertains to obtaining US Coastguard approval as allowed by the "Agreement between the European Community and the United States of America on Mutual Recognition of Certificates of Conformity for Marine Equipment", Decision No. 1/2018, signed February 18th, 2019

## 5 Conditions of Validity

This certificate ceases to be valid if the manufacturer makes any changes or modifications to the approved equipment, which have not been notified to, and agreed with TÜV SÜD Danmark or a person appointed by TÜV SÜD Danmark to perform that role.

Should the specified regulations (international conventions and the relevant resolutions and circulars of the IMO) or the testing standards be amended and enforced through an Implementing Regulation during the period of validity of this certificate, the product(s) is/are to be re-approved prior to it/them being placed on the market or onboard vessels to which the amended regulations or standards apply.

The Mark of Conformity may only be affixed to the above type approved equipment and a manufacturer's Declaration of Conformity issued when the production-control phase module (D, E, or F) of Annex B of the directive is fully complied with and controlled by a written inspection agreement with a notified body.

Signature: J. J. Tuynam	Date:	2020-02-28
Print Name: <u>Tom Twynam</u> On behalf of TÜV SÜD Danmark		