



EC TYPE EXAMINATION (MODULE B) CERTIFICATE

This is to certify that:

LLOYD'S REGISTER VERIFICATION LIMITED (LRV), designated as a "notified body" under the terms of the Merchant Shipping (Marine Equipment) Regulations 2016 (S.I. 2016 No.1025), did undertake the relevant type approval procedures for the equipment identified below which was found to be in compliance with the essential Navigation equipment requirements of Marine Equipment Directive (MED) 2014/90/EU and Commission Implementing Regulation (EU) 2018/773 indicating design, construction and performance requirements and testing standards for marine equipment, subject to any conditions in the Design Appraisal Document attached hereto.

Manufacturer (Applicant) Northrop Grumman Sperry Marine BV

Address 118 Burlington Road

New Malden Surrey, KT3 4NR United Kingdom (UK)

Reference Regulation (EU) 2018/773

Regulation Item MED 4.34 RADAR EQUIPMENT CAT 1

(No & Item designation) MED 4.37 RADAR EQUIPMENT FOR HIGH SPEED CRAFT APPLICATIONS (CAT 1H AND CAT 2H)

MED 4.38(A) RADAR EQUIPMENT APPROVED WITH A CHART OPTION, NAMELY: (A) CAT 1C

MED 4.38(C) RADAR EQUIPMENT APPROVED WITH A CHART OPTION, NAMELY: (C) CAT 1HC FOR HSC

Product Type System types known and designated as:-

a) VisionMaster FT, CAT1 34, - Radar Systems

b) VisionMaster FT, CAT1C 34, - Chart Radar Systems c) VisionMaster FT Dual Channel, CAT134, - Radar Systems

d) VisionMaster FT Dual Channel, CAT1C 34, - Chart Radar Systems

e) VisionMaster FT, CAT1H 34, - Radar Systems

f) VisionMaster FT, CAT1HC 34, - Chart Radar Systems g) VisionMaster FT Dual Channel, CAT1H 34, - Radar Systems

h) VisionMaster FT Dual Channel, CAT1HC 34, - Chart Radar Systems

Hardware component parts of the equipment above are listed in the attached design appraisal document.

Software version: - 11.0.0

Product Description Shipborne Radar Equipment (IEC 62388 Category 1 & 1C)

Radar Equipment for High Speed Craft Applications (IEC 62388 Category 1H & 1HC)

Specified Standard IMO Resolutions: A278(VIII), A694(17), MSC191(79), MSC192(79), MSC.36 (63) – 13, MSC.97 (73) – 13, MSC.302(87)

MSC.1/Circ.1349, and ITU-R M.1177-4 (04/11) IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)

IEC 61162-1 Ed5.0 (2016), IEC61162-2 Ed1.0 (1998) and IEC 61162-450 (2011)

IEC 62288 Ed. 2.0 (2014-07) IEC 62388 Ed. 2.0 (2013)

The attached Design Appraisal Document (schedule) forms part of this certificate.

This certificate remains valid unless cancelled or revoked, provided the conditions in the attached schedule are complied with and the equipment remains satisfactory in service.

Date of issue 25 April 2019 Expiry date 24 April 2024

Certificate No. MED 1900008 Signed

P.A. thereby - Grant Register

Sheet No. 1 of 5 Name P. Huntley-Hawkins

For and on behalf of Lloyd's Register Verification

LRV EC Distinguishing No. 0038

Note:

This certificate is issued under the authority of the MCA.

This certificate is not valid for equipment; the design or manufacture of which has been varied or modified from the specimen tested. The manufacturer should notify the notified body named on this certificate of any modification or changes to the equipment in order to obtain a valid Certificate.

Lloyd's Register Verification Limited (Reg. no. 4929226) is a limited company registered in England and Wales. Registered office: 71 Fenchurch Street, London, EC3M 4BS, UK. A subsidiary of Lloyd's Register Group Limited.

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



71 Fenchurch Street, London, EC3M 4BS
Lloyd'S Telephone 020 7423 2416 Fax 020 7423 2053
Register Email med@lr.org

Page				
2 of 5				
Document no	umber			
MED 190	8000	3		
Issue numbe	r			
1				

DESIGN APPRAISAL DOCUMENT

Date	Quote this reference on all future communications
25 April 2019	UKITSO/ETS/TA/PHH/WP35151589

ATTACHMENT TO EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. MED 1900008

The undernoted documents have been appraised for compliance with the relevant requirements of International Conventions and European Union legislation for the EC Type Examination of Marine Equipment for use on Merchant Ships Registered in the European Economic Area.

This Design Appraisal Document (schedule) forms part of the Certificate.

This Certificate is renewal of the Certificate No. MED 1400006/M4

HARDWARE DETAILS

Schedule 1 - Type numbers of processor and display unit.

Processor - 65901AT, 65901AU, 65901AE(Dual), and 65901AF (Dual)

Display - 65926H, 65926P, 65926L (25.5") or 65823A, 65923C (23.1")

PCIO Interface Unit - 65900AA or 65900AB and Auxiliary PCIO Interface Unit for Dual - 65940AA

Control Panel - 65903AF, 65903AG, 65903KF or 65903KG

Security Device - 32SDR001, 32SDR002, 32SDR005, 32SDR006 or 32SDT001, 32SDT002, 32SDT005 or 32SDT006

NOTES

- 1. The 32SDR005 or 32SDT005 Multi-node security device allows operation of an integrated multi display ships bridge. A security string defines the product type on all the nodes for a particular vessel's bridge operating plan. The product type must be set to CAT1 Radar, CAT1C Chart Radar or Total Watch as appropriate.
- 2. The 32SDR006 or 32SDT006 Total Watch security device enables operation as a Multi-function workstation and allows the operator to switch between Chart Radar, ECDIS and conning display. This certificate only applies when the mode is set to Chart Radar for a Total Watch system.
- 3. This approval remains valid for Minor software amendments, as allowed by the 11.0.x numeric format, where written details of the modifications have been submitted to and accepted by the Notified Body.
- 4. Image Transfer to a Voyage Data Recorder via IEC 61162-450 Interface.

Schedule 2 - Type numbers of transceivers, turning units and antennae.

10kW X-Band Transceivers and Turning Units - 65910*AR,65910*AU, where * can be M, N, P, T or W.

25kW X-Band Transceivers and Turning Units - 65925*AR,65925*AT,65925*AU, where * can be M, N, P, T or W.

10kW X-Band Transceivers (Bulkhead) - 65810E, 65810F, 65810G, 65810H and 65810L.

25kW X-Band Transceivers (Bulkhead) - 65825E, 65825F, 65825G, 65825H and 65825L.

X-Band Turning Unit (Bulkhead) - 65901BAR, 65901CAR, 65901CAT or 65901CAU

X-Band Antennae - 65604A, 65606A or 65608A.

S-Band Transceivers - 65830M*R, 65830N*R, 65830N*T or 65830N*U, where * can be E, F, G, H, J, K, L, M, P, Q, R or S

S-Band Transceivers (Bulkhead) - 65831A or 65831B.

S-Band Turning Unit - 65830B*R, 65830C*R, 65830C*T or 65830C*U where * can be F, F, G, H, J, K, L, M, P, Q, R or S

Scanner Control Unit - 65837AB, 65837AC, 65837AE, 65837AF or 65837AH

S-Band Antennae - 65612A

Schedule 3 – Ancillary Units

Interswitches - 65842A and 65846A.

Slave junction Box - 65849A.

Network Serial Interface - 4802181

Kit Format Units - 65900614, 65900615, 65900667, 65900635 and 65900625

Secure Maritime Gateway - 67050FA



71 Fenchurch Street, London, EC3M 4BS Telephone 020 7423 2416 Fax 020 7423 2053 Email med@lr.org

Page		
3 of 5		
ъ .	- 1	$\overline{}$
Document no	umber	
MED 190	0008	
WILD 170	0000	
Issue numbe	r	
1		

DESIGN APPRAISAL DOCUMENT

Date	Quote this reference on all future communications
25 April 2019	UKITSO/ETS/TA/PHH/WP35151589

ATTACHMENT TO EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. MI	ED 1900008
APPROVAL DOCUMENTATION	
Clneric Change Note 65612/124 Change Note 65801/077 Change Note 65901/115 Change Note JLR025A Change Note JLR037 Issue 1 Change Note JLR039 (SC4 EEPROM) Issue 2 Change Note JLR042 Change Note JLR042 Change Note JLR045 (VisionMaster 340 Pedestal Console) Change Note JLR046 (VisionMaster 340 Pedestal Console) Change Note JLR047 (ISIC PCM4 Q87 (65901AF) Change Note JLR048 (ISIC 65926P Display) VisionMaster Technical File VMFT V.7.0 Impact Assessment + Results VMFT V8.0 Impact Assessment + Results VMFT V9.0 Impact Assessment + Results IA-V10-NML-008 (Impact Assessment VMFT 10.0.0) IA-V11-NML-009 (VMFT V10.0.1 Impact Assessment) GA-V11-NML-011 (Impact Assessment VMFT V11.0.0) Radar/Chart Radar User Guide, 65900011V1-18 Rev A VisionMaster Ships Manual 65900011V2-18 Rev A	30.03.2007 07.02.2012 06.03.2012 04.11.2013 05.04.2017 28.10.2016 14.03.2017 15.06.2017 26.06.2017 02.01.2018 21.03.2018 22.05.2018 10.06.2015 18.02.2015 15.04.2016 20.03.2017 18.09.2017 13.02.2018 18.10.2017
Hatteland Display, HD 26T22 MMD – IEC 60945 & IACS E10 Statement DOC205830-1-1-Rev. 3	-
TEST REPORTS	
DANAK-196393 BO613465/1 ECDIS Monitor, LCD, Test Procedure and Report DANAK-198181 DANAK-198236 JA 340-8596-4 JA 340-8596-2 JA 340-8596-1	04.09.2002 24.12.2004 13.04.2005 23.12.2005 20.01.2006 16.03.2006 08.05.2006 14.07.2006
MET EMC19618-EN60945 TL1016 QINETIQ/D&TS/SS/CR0607592/1.0 Sperry Marine Report 5000657 BSH 46162/0040380/07 DANAK-198899 Revision 2	28.08.2006 30.10.2006 06.12.2006 28.06.2007 12.09.2007 10.12.2007
QINETIQ/EMEA/iX/CR070194/Issue 1.0 QINETIQ/EMEA/iX/CR0802757/Issue 1.1 DNV 2008-3142 QINETIQ/MS/EES/TSTR0801152/1.1 DANAK-1910255 QINETIQ/MS/EES/TSTR0801808/1 DNV 2008-3464	20.12.2007 19.02.2008 11.03.2008 08.07.2008 18.08.2008 29.08.2008 18.09.2008



71 Fenchurch Street, London, EC3M 4BS Telephone 020 7423 2416 Fax 020 7423 2053 Email med@lr.org

Page		
4 of 5		
Document no	umber	
MED 190	80000	
Issue numbe	r	
1		

DESIGN APPRAISAL DOCUMENT

Date	Quote this reference on all future communications
25 April 2019	UKITSO/ETS/TA/PHH/WP35151589

ATTACHMENT TO EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. 1	MED 1900008
QinetiQ/MS/EES/TC0802918	17.10.2008
QinetiQ/MS/EES/TC0803242	14.11.2008
TL1316	29.06.2009
QINETIQ/MS/EES/TC0905317	14.12.2009
QINETIQ/MS/EES/TSTR0903808/3.0	14.12.2009
QINETIQ/MS/EES/TSTR0904084/3	15.12.2009
TUV 75906944 Report 01 Issue 1	14.01.2010
DANAK-1910681 Revision B	25.01.2010
DNV 2010-3124 rev. 2	13.08.2010
QINETIQ/TEG/TECS/TSTR1000030	19.08.2010
QINETIQ/TEG/TECS/TC1100272	02.02.2011
DANAK 1911472	18.07.2011
QINETIQ/TEG/TECS/TSTR1102226	22.08.2011
QINETIQ/MS/WD/TSTR1201598	03.07.2012
DANAK 1912564	02.11.2012
TUV 7590230 Report 01 Issue 01	22.11.2012
TUV 75924948 Report 01 Issue 1.0	April 2013
TUV 75931934 Report 01 Issue 1.0	April 2013
SP4P07869	05.12.2014
SP4P00022-2	06.05.2014
SP5P05969-1	30.10.2015
SP6P03819-2	13.09.2016
APPLICA Test and Certification, 21009, rev 0	10.02.2017
Hatteland Display, DOC102352-4, rev 2	03.04.2017
Hatteland Display, DOC102351-1, rev 2	05.04.2017
Hatteland Display, DOC102352-3, rev 1	11.11.2016
TR-V10-NML-004 (IEC 62288-2014 Test Report) Issue: 2	18.09.2017
VisionMaster FT Release 10.0.0 System Performance Test Report	04.09.2019
TR-V10-NML-005 (IEC 62388-2013 Test Report) Issue 1	18.09.2017
TR-V10.0.1-NML-010 (IEC 62288 - 2014 Test Report)	12.02.2018
TR-V10.0.1-NML-011 (MSC.302(87) Test Report)	12.02.2018
TR-V10 0 1-NML-012 (System Performance Test) Issue 2	16.02.2018
TR-V11-NML-015 (IEC 61162-1 - 2016 Test Report)	12.11.2018
TR-V11-NML-017 (IEC 62288 - 2014 Test Report)	12.11.2018
TR-V11-NML-018 (IEC 62388 - 2013 Test Report)	12.11.2018
TR-V11-NML-019 (System Performance Test)	12.11.2018
103230862LHD-001 (Intertek Environmental Test Report)	06.12.2017
103230862LHD-001 ISS 4 (Intertek EMC Test Report)	02.01.2018
416.095.1 (kmf_suv_magicnetgwr)	17.06.2016
416.095.2 (kmf_klima_magicnetgwr)	11.05.2016
416.095.3 (emc_nomatronics_magicnetgwr)	18.05.2016
962 (CSD_MagicNet)	08.03.2017



71 Fenchurch Street, London, EC3M 4BS Telephone 020 7423 2416 Fax 020 7423 2053 Email med@lr.org

Page			
5 of 5			
Document no	umber		
MED 190	8000	3	
Issue numbe	r		
1			

DESIGN APPRAISAL DOCUMENT

Date	Quote this reference on all future communications	
25 April 2019	UKITSO/ETS/TA/PHH/WP35151589	

ATTACHMENT TO EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. MED 1900008

CONDITIONS OF CERTIFICATION

- 1. Production items of the subject equipment are to be manufactured in accordance with either an approved Production Quality Assurance system (Module D), a Product-Quality assurance system (Module E) or a Product Verification Process (Module F). The wheelmark cannot be affixed to the product until a conformity assessment module is in place
- 2. Each item, batch or lot of the equipment is to be issued with a "Declaration of Conformity" and have the "Mark of Conformity" affixed after a conformity assessment module is in place

SOFTWARE VERSIONS

11.0.0

STANDARDS NOT APPLICABLE

The following MED specified standards do not apply to this product:

IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07) IEC 61162-460 ed1.0 (2015-08)

PLACE OF PRODUCTION

Northrop Grumman Sperry Marine B.V. 118 Burlington Road, New Malden Surrey KT3 4NR United Kingdom (UK)



Peter Huntley-Hawkins Principal Specialist Engineering Systems UK&I Technical Support Office, Marine & Offshore For and on behalf of Lloyd's Register Verification LRV EC Distinguishing No. 0038