




## EC TYPE EXAMINATION (MODULE B) CERTIFICATE

This is to certify that:

LLOYD'S REGISTER VERIFICATION LIMITED (LRV), designated as a "notified body" under the terms of the Merchant Shipping (Marine Equipment) Regulations 2016 (S.I. 2016 No. 1025) did undertake the relevant type approval procedures for the equipment identified below which was found to be in compliance with the essential Navigation equipment requirements of Marine Equipment Directive (MED) 2014/90/EU and Commission Implementing Regulation (EU) 2018/773 indicating design, construction and performance requirements and testing standards for marine equipment, subject to any conditions in the Design Appraisal Document attached hereto.

<b>Manufacturer (Applicant) Address</b>	Northrop Grumman Sperry Marine BV 118 Burlington Road New Malden Surrey, KT3 4NR United Kingdom (UK)
<b>Reference</b>	<b>Regulation (EU) 2018/773</b>
<b>Regulation Item (No &amp; Item designation) USCg Category Number</b>	<b>MED 4.30 ELECTRONIC CHART DISPLAY AND INFORMATION SYSTEM (ECDIS) WITH BACKUP, AND RASTER CHART DISPLAY SYSTEM (RCDS)</b> <b>165.123 - ELECTRONIC CHART DISPLAY AND INFORMATION SYSTEM (ECDIS) WITH BACKUP, AND RASTER CHART DISPLAY SYSTEM (RCDS)</b> <b>165.124 - ELECTRONIC CHART DISPLAY AND INFORMATION SYSTEM (ECDIS) WITH BACKUP, AND RASTER CHART DISPLAY SYSTEM (RCDS)</b>
<b>Product Type</b>	<b>VisionMaster FT Panel PC, ECDIS</b> <b>Hardware component parts of the equipment above are listed in the attached design appraisal document.</b> <b>Software version: - 11.1.0</b>
<b>Product Description</b>	Electronic Chart Display and Information System (ECDIS) With Backup, and Raster Chart Display System (RCDS)
<b>Specified Standard</b>	<b>IMO Resolutions:</b> A694 (17), MSC191(79), MSC232(82), MSC.302(87) and MSC.1/Circ.1503 (revoking IMO SN.1/Circ.266) IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008) IEC 61162-1 Ed5.0 (2016), IEC 61162-2 Ed1.0 (1998) and IEC 61162-450 (2011) IEC 61174 (2015) IEC 62288 Ed.2.0 (2014-07)

The attached Design Appraisal Document (schedule) forms part of this certificate.  
This certificate remains valid unless cancelled or revoked, provided the conditions in the attached schedule are complied with and the equipment remains satisfactory in service.

Date of issue	12 June 2019	Expiry date	9 May 2024
Certificate No.	MED 1900011/M2	Signed	 Lloyd's Register Verification Ltd. 190222-2016-08
Sheet No	1 of 6	Name	P. Huntley-Hawkins For and on behalf of Lloyd's Register Verification LRV EC Distinguishing No. 0038

Note:  
This certificate is issued under the authority of the MCA.

This certificate is not valid for equipment; the design or manufacture of which has been varied or modified from the specimen tested. The manufacturer should notify the notified body named on this certificate of any modification or changes to the equipment in order to obtain a valid Certificate.

This equipment is covered by the scope of the "Agreement between the European Community and the United States of America on Mutual Recognition of Certificates of Conformity for Marine Equipment signed February 27th, 2004 and amended by Decision No.1/2018 dated February 18th, 2019 according to U.S. Coast Guard approval category USCG Module B number: 165.123/EC0038 & 165.124/EC0038.

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production Module certificate (Module D, E or F)

Lloyd's Register Verification Limited (Reg. no. 4929226) is a limited company registered in England and Wales. Registered office: 71 Fenchurch Street, London, EC3M 4BS, UK. A subsidiary of Lloyd's Register Group Limited.

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's  
Register

**Lloyd's Register Verification Limited**

71 Fenchurch Street, London, EC3M 4BS  
Telephone 020 7423 2416 Fax 020 7423 2053  
Email med@lr.org

Page 2 of 6
Document number MED 1900011/M2
Issue number 1

**DESIGN APPRAISAL DOCUMENT**

Date 12 June 2019	Quote this reference on all future communications UKITSO/ETS/TA/PHH/WP35828451
----------------------	---

**ATTACHMENT TO EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. MED 1900011/M2**

The undernoted documents have been appraised for compliance with the relevant requirements of International Conventions and European Union legislation for the EC Type Examination of Marine Equipment for use on Merchant Ships Registered in the European Economic Area.

This Design Appraisal Document (schedule) forms part of the Certificate.

This Certificate is an amendment of Certificate No. MED 1900011/M1.

**HARDWARE DETAILS**

**Schedule 1 - Type numbers of processor and display unit.**

- Processor - 65901AZ
- Panel PC - 65926AA
- PCIO Interface Unit - 65900AA or 65900AB
- Control Panel - 67003AF, 67003KF, 67003AH or 67003KH
- Security Device - 32SDT005
- Network switch - RA00009746

**NOTES**

1. An uninterpretable power supply must be incorporated in the system, the Sperry part number 65932721, 65932722 or 65932723 may be used
2. The 32SDT005 Multi-node security device allows operation of an integrated multi display ships bridge. A security string defines the product type on all nodes for a particular vessel's bridge operating plan. The product type must be set to ECDIS, ECDIS with Radar overlay or Total Watch as appropriate
3. A Total Watch product enables operation as a Multi-function workstation and allows the operator to switch between Chart Radar, ECDIS and conning display. This certificate only applies when the mode is set to ECDIS for a Total Watch system
4. This approval remains valid for Minor software amendments, as allowed by the 11.1.x numeric format, where written details of the modifications have been submitted to and accepted by the Notified Body
5. The ECDIS was tested with official IHO ENC Test data using the Seven C's chart engine and with SENC data supplied as part of C Map chart licensing. ARCS chart test data was used to check RCDS charts
6. The VisionMaster FT is certified for use as a back-up ECDIS only when connected to a main ECDIS running VisionMaster FT at the same version
7. Image transfer to a Voyage Data Recorder via IEC 61162-450 Interface
8. Conformance with IHO S-52 'Specifications for Chart Content and Display Aspects of ECDIS' Edition 6.1(1) and IHO S-52 Annex A 'IHO ECDIS Presentation Library' Edition 4.0(2) was demonstrated using IHO S-64 'Instruction Manual for the use of IHO Test Data Sets in ECDIS' Edition 3.0.2



Lloyd's  
Register

## Lloyd's Register Verification Limited

71 Fenchurch Street, London, EC3M 4BS  
Telephone 020 7423 2416 Fax 020 7423 2053  
Email med@lr.org

Page 3 of 6
Document number MED 1900011/M2
Issue number 1

### DESIGN APPRAISAL DOCUMENT

Date 12 June 2019	Quote this reference on all future communications UKITSO/ETS/TA/PHH/WP35828451
----------------------	---

#### ATTACHMENT TO EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. MED 1900011/M2

#### **Schedule 2 - Ancillary Units**

Network Serial Interface - 4802181  
External Serial Interface - 4801162  
Course Mode Joystick - 4303153  
Analogue Interface Assembly - 1982776  
Kit Format Units - 65900614, 65900670, 65900635 and 65900625  
Digital Interface Unit - 65932605  
Secure Maritime Gateway - 67050FA

#### **APPROVAL / EXAMINED DOCUMENTATION**

QINETIQ/D&TS/SES/TC0703744	30.03.2007
QINETIQ/MS/EES/TC1001181	26.03.2010
Change Note 65901/075	14.03.2012
Change Note 65920/027	30.05.2013
Change Note JLR034 Issue 1	01.08.2016
Change Note JLR037 Issue 1	28.10.2016
Change Note JLR039 (SC4 EEPROM) Issue 2	14.03.2017
Change Note JLR042	15.06.2017
Change Note JLR043	26.06.2017
Change Note JLR045 (VisionMaster 340 Pedestal Console)	02.01.2018
Change Note JLR047 (ISIC PCM4 Q87 (65901AF)	21.03.2018
Change Note JLR048 (ISIC 65926P Display)	22.05.2018
JLR050 (VMFT Panel PC & USB Trackball) Issue 2	14.01.2019
VisionMaster Technical File	10.06.2015
VMFT V7.0 Impact Assessment + Results	18.02.2015
VMFT V.8.0 Impact Assessment + Results	15.04.2016
VMFT V9.0 Impact Assessment + Results	20.03.2017
IA-V10-NML-008 (Impact Assessment VMFT 10.0.0)	18.09.2017
IA-V10.0.1-NML-009 (VMFT V10.0.1 Impact Assessment)	13.02.2018
GA-V11-NML-002 (Gap Analysis IEC 61162-1 Ed. 4 to Ed. 5)	18.10.2017
IA-V11-NML-011 (Impact Assessment VMFT V11.0.0)	11.12.2018
IA-V11.1-NML-012 (VMFT V11.1.0 Impact Assessment)	20.12.2018
ECDIS User Guide, 65900012-13 Rev.C	-
VisionMaster Ships Manual 65900011-18 Rev A	-
DNV-GL Type Approval Certificate 20513-11HH	03.11.2016

#### **TEST REPORTS**

DANAK-196393	04.09.2002
BO613465/1	24.12.2004
DNV 2005-3112	14.03.2005
ECDIS Monitor, LCD, Test Procedure and Report	13.04.2005
DANAK-198181	23.12.2005
DANAK-198236	20.01.2006



Lloyd's  
Register

## Lloyd's Register Verification Limited

71 Fenchurch Street, London, EC3M 4BS  
Telephone 020 7423 2416 Fax 020 7423 2053  
Email med@lr.org

Page 4 of 6
Document number MED 1900011/M2
Issue number 1

### DESIGN APPRAISAL DOCUMENT

Date 12 June 2019	Quote this reference on all future communications UKITSO/ETS/TA/PHH/WP35828451
----------------------	---

#### ATTACHMENT TO EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. MED 1900011/M2

JA 340-8596-4	16.03.2006
JA 340-8596-2	08.05.2006
JA 340-8596-1	14.07.2006
MET EMC19618-EN60945	28.08.2006
TL1016	30.10.2006
QINETIQ/D&TS/SS/CR0607592/1.0	06.12.2006
Sperry Marine Report 5000657	28.06.2007
BSH 46162/0040380/07	12.09.2007
DANAK-198899 Revision 2	10.12.2007
QINETIQ/EMEA/iX/CR070194/Issue 1.0	20.12.2007
QINETIQ/EMEA/iX/CR0802757/Issue 1.1	19.02.2008
QINETIQ/EMEA/iX/CR0709724/2	06.03.2008
DNV 2008-3142	11.03.2008
DNV 2008-3143	11.03.2008
QINETIQ/MS/EES/TSTR0801342/1	30.07.2008
DANAK-1910255	18.08.2008
QINETIQ/MS/EES/TSTR0801840/1	02.09.2008
DNV 2008-3464	18.09.2008
QinetiQ/MS/EES/TC0802918	17.10.2008
QinetiQ/MS/EES/TC0803242	14.11.2008
QinetiQ/MS/EES/TSTR0900216/1.0	29.01.2009
QinetiQ/MS/EES/TSTR0900779/1.0	24.02.2009
QinetiQ/MS/EES/TSTR0902273/1	03.06.2009
TL1316	29.06.2009
QINETIQ/MS/EES/TC0905317	14.12.2009
QINETIQ/MS/EES/TSTR0903808/3.0	14.12.2009
TUV 75906944 Report 01 Issue 1	14.01.2010
DANAK-1910681 Revision B	25.01.2010
QinetiQ/MS/EES/TSTR1001283/DRAFTB	26.04.2010
DNV 2010-3124 rev. 2	13.08.2010
QINETIQ/TEG/TECS/TSTR1000030	19.08.2010
TUV 75909781 Report 02 Issue 1	24.08.2010
QINETIQ/TEG/TECS/TSTR1000308	22.10.2010
QINETIQ/TEG/TECS/TC1100272	02.02.2011
QINETIQ/TEG/TECS/TSTR1100065	28.02.2011
QINETIQ/TEG/TECS/TSTR1101456/1.0	04.05.2011
DANAK 1911472	18.07.2011
QINETIQ/TEG/TECS/TSTR1102226	22.08.2011
QINETIQ/MS/WD/TSTR1201598	03.07.2012
NEMKO E12140.01	01.08.2012
DANAK 1912564	02.11.2012
TUV 75919870 Report 04 Issue 1.0	April 2013
TUV 75921754 Report 01 Issue 1.0	April 2013
TUV 75931934 Report 01 Issue 1.0	January 2014
SP4P07869	05.12.2014



Lloyd's  
Register

## Lloyd's Register Verification Limited

71 Fenchurch Street, London, EC3M 4BS  
Telephone 020 7423 2416 Fax 020 7423 2053  
Email med@lr.org

Page 5 of 6
Document number MED 1900011/M2
Issue number 1

### DESIGN APPRAISAL DOCUMENT

Date 12 June 2019	Quote this reference on all future communications UKITSO/ETS/TA/PHH/WP35828451
----------------------	---

#### ATTACHMENT TO EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. MED 1900011/M2

SP4P00022-2	06.05.2014
SP5P05969-1	30.10.2015
NEMKO 2.54678	12.03.2014
DNV 2013-3038	03.04.2013
NEMKO 362879 Panel PC 26	06.11.2018
DANAK P18-0055-1	04.12.2018
SP 8P06394 CSD Panel PC	27.08.2018
TR-V9-NML-001 (PresLib 4.0 (.1) Test Report - C-MAP) Issue 4	19.04.2017
TR-V9-NML-002 (PresLib 4.0 (.1) Test Report - SevenCs) Issue 3	19.04.2017
TR-V10-NML-006 (S-52 PresLib 4.0(.2) Test Report) Issue 2	18.09.2017
TR-V10-NML-003 (IEC 61174-2015 Test Report) Issue 3	11.10.2017
TR-V10-NML-004 (IEC 62288-2014 Test Report) Issue: 2	18.09.2017
TR-V11.1-NML-020 (IEC 61174 - 2015 Test Report) Issue 2	14.01.2019
TR-V11.1-NML-021 (IEC 62288 - 2014 Test Report)	20.12.2018
TR-V11.1-NML-023 (System Performance Test)	20.12.2018
TR-V11.1-NML-024 (System Performance Test)	03.01.2019
VisionMaster FT Release 10.0.0 System Performance Test Report	04.09.2017
SP6P03819-2	13.09.2016
APPLICA Test and Certification, 21009, rev 0	10.02.2017
Hatteland Display, DOC102352-4, rev 2	03.04.2017
Hatteland Display, DOC102351-1, rev 2	05.04.2017
Hatteland Display, DOC102352-3, rev 1	11.11.2016
TR-V10.0.1-NML-008 (IEC 61174 - 2015 Test Report)	12.02.2018
TR-V10.0.1-NML-010 (IEC 62288 - 2014 Test Report)	12.02.2018
TR-V10.0.1-NML-011 (MSC.302(87) Test Report)	12.02.2018
TR-V10 0 1-NML-012 (System Performance Test) Issue 2	16.02.2018
TR-V11-NML-015 (IEC 61162-1 - 2016 Test Report)	12.11.2018
TR-V11-NML-016 (IEC 61174 - 2015 Test Report)	12.11.2018
TR-V11-NML-017 (IEC 62288 - 2014 Test Report)	12.11.2018
TR-V11-NML-019 (System Performance Test)	12.11.2018
103230862LHD-001 (Intertek Environmental Test Report)	06.12.2017
103230862LHD-001 ISS 4 (Intertek EMC Test Report)	02.01.2018
416.095.1 (kmf_suv_magicnetgwr)	17.06.2016
416.095.2 (kmf_klima_magicnetgwr)	11.05.2016
416.095.3 (emc_nomatronics_magicnetgwr)	18.05.2016
962 (CSD_MagicNet)	08.03.2017



Lloyd's  
Register

## Lloyd's Register Verification Limited

71 Fenchurch Street, London, EC3M 4BS

Telephone 020 7423 2416 Fax 020 7423 2053

Email [med@lr.org](mailto:med@lr.org)

Page 6 of 6
Document number MED 1900011/M2
Issue number 1

### DESIGN APPRAISAL DOCUMENT

Date 12 June 2019	Quote this reference on all future communications UKITSO/ETS/TA/PHH/WP35828451
----------------------	---

#### ATTACHMENT TO EC TYPE EXAMINATION (MODULE B) CERTIFICATE No. MED 1900011/M2

#### CONDITIONS OF CERTIFICATION

1. Production items of the subject equipment are to be manufactured in accordance with either an approved Production Quality Assurance system (Module D), a Product-Quality assurance system (Module E) or a Product Verification Process (Module F). The wheelmark cannot be affixed to the product until a conformity assessment module is in place
2. Each item, batch or lot of the equipment is to be issued with a "Declaration of Conformity" and have the "Mark of Conformity" affixed after a conformity assessment module is in place

#### SOFTWARE VERSIONS

11.1.0

#### STANDARDS NOT APPLICABLE

The following MED specified standards do not apply to this product:

IEC 61162-3 ed1.2 Consol. with am1 ed. 1.0 (2010-11) and am2 ed. 1.0 (2014-07)

IEC 61162-460 ed1.0 (2015-08)

#### PLACE OF PRODUCTION

Northrop Grumman Sperry Marine B.V.  
118 Burlington Road,  
New Malden  
Surrey  
KT3 4NR



P. A. Huntley-Hawkins  
Principal Specialist  
UK and Ireland Technical Support Office, Marine & Offshore  
For and on behalf of Lloyd's Register Verification  
**LRV EC Distinguishing No. 0038**